

**PRODUCT SPECIFICATION**

Name of the process:

**VITROSIL P – 4.1**

Glassy potassium silicate molar ratio 4.1

Number of process :

**3**

Index

**ZŻ/P-3/4.1****1. Product requirements****a) Appearance:**

Shapeless hard pieces with bluish greenish or celadon colour without smell.

**b) Chemical composition**

- Molar ratio 4,0 – 4,2
- Weight ratio 2,55 – 2,68
- SiO<sub>2</sub>+K<sub>2</sub>O min 99,5 %
- Na<sub>2</sub>O max 0,3 %
- Fe max 0,015 %
- Al max 0,11 %
- TiO<sub>2</sub> max 340ppm
- MgO max 340ppm
- CaO max 340ppm

Other composition according to customer requirements.

This sheet is valid with polish version only.